Using blockchain to improve information sharing accuracy in the onsite assembly of modular construction

Liupengfei Wu, Weisheng Lu*, Rui Zhao, Jinying Xu, Xiao Li, and Fan Xue

Dept. of Real Estate and Construction Management, Univ. of Hong Kong, Hong Kong, China. <u>liupengfeiwu@connect.hku.hk</u>, <u>wilsonlu@hku.hk</u>, <u>ruizhao@hku.hk</u>, u3004676@connect.hku.hk, x11991@hku.hk, xuef@hku.hk

This is the peer-reviewed, post-print version of the paper:

Wu, L., Lu, W., Zhao, R., Xu, J., Li, X., & Xue, F. (2022). Using blockchain to improve information sharing accuracy in the onsite assembly of modular construction. *Journal of Management in Engineering*, 38(3), 04022014. Doi: <u>10.1061/(ASCE)ME.1943-5479.0001029</u>

This material is shared under the <u>permission of ASCE</u>, and may be downloaded for personal use only. Any other use requires <u>prior permission of ASCE</u>. The official version of this paper can be accessed at <u>https://doi.org/10.1061/(ASCE)ME.1943-5479.0001029</u>

Abstract

Onsite assembly is a critical stage for modular construction. Its success or failure depends on accurate information sharing among numerous stakeholders who, unfortunately, often possess unsynchronized information. Owing to its decentralized consensus mechanism, blockchain has the potential to improve information-sharing accuracy on construction sites. However, little research has documented how this can be done. Adopting a design science research (DSR) method, this study aims to explore the use of blockchain technology to improve information-sharing accuracy in the onsite assembly of modular construction (OAMC). Firstly, an OAMC business process analysis is conducted to understand the issues leading to information sharing, in particular its accuracy. Then, a blockchain-based conceptual model is developed. Its components such as membership registration, information sharing-request, ordering service, consensus mechanism, and distributed storage are described. Finally, a prototype system is developed and validated in a mock-up OAMC. The results show that the prototype system can improve the accuracy of information sharing in OAMC by allowing project participants to endorse information about the modules and their assembly through the blockchain's consensus mechanism. This study explores and implements blockchain technology in a specific construction area. It can serve as a valuable reference for future endeavors in harnessing the power of blockchain technology, particularly for mobilizing

20

5

10

15

Keywords: Blockchain; Accurate information sharing; Information endorsement/consensus mechanism; On-site assembly; Modular construction.

information endorsement mechanisms for various value-added applications.

Introduction

Modular construction involves fabricating 3D-volumetric building "modules" under 25 controlled offsite conditions and transporting them to a building site for assembly into a final construction product (Li et al., 2021). It can reduce construction time, save labor, improve worker safety, and help to achieve environmental sustainability goals (Gong et al., 2019). However, successful project delivery involves complex onsite assembly with myriad

stakeholders (e.g., owners, contractors, subcontractors, and transporters) who interact 30 frequently based on an array of information (Luo et al., 2020). Thus, onsite assembly in modular construction (OAMC) requires to share accurate information to minimize the issues related to assembly rework, labor, time, and occupational health and safety (Li et al., 2019a).

- There are several causes to inaccurate information sharing in OAMC. One is the widespread 35 use of paper or paint labels (Li et al., 2018a). They are too ambiguous to guarantee the accuracy of OAMC information exchanged (e.g., assembly sequence, module type, installation location and orientation) (Demiralp et al., 2012). Another reason is the fragmented nature of construction organizations (Zhai et al., 2019). Project participants from
- different organizations may not have a unified information sharing platform, leading to 40 asymmetric information sharing (Lee et al., 2021b). Inaccurate information sharing in OAMC could also be attributable to a lack of assurance mechanisms for checking updated information (Li et al., 2018b; Zhou et al., 2021). In current practice, incomplete or inaccurate change and scheduling information transmitted from previous processes (e.g., production, logistics) may be passed to the OAMC phase without endorsement or with serious latency 45 (Wu et al., 2021).

Emerging from the technology sphere, blockchain could bring about a paradigm shift in the information management practices of construction (Li et al., 2019b). A blockchain is a distributed ledger with cryptography and decentralized consensus mechanisms, which can effectively record and endorse transactions between participants in a shared, secure and traceable manner (Xue and Lu, 2020). Blockchain benefits include reinforced transparency, traceability, immutability, privacy, and automation (Perera et al., 2020), promotion of democratic decision-making through decentralization, and reduced costs through removal of

intermediaries (Li et al., 2021). In construction, blockchain applications have been introduced 55 for internal administration (Pradeep et al., 2021), self-executing transactions with smart contracts (Hamledari and Fischer, 2021), immutable records of transactions (Zhong et al., 2020), secure payment (Das et al., 2020), and combined applications with Internet of things (IoT) (Elghaish et al., 2021), building information modeling (BIM), and cloud computing (Li and Kassem, 2021). Although blockchain-based solutions (e.g., Wang et al., 2020; Sheng et 60

al., 2020; Zhong et al., 2020; Hijazi et al., 2021; Tao et al., 2021) have been proposed for information management problems (e.g., information sharing, data traceability, and record

immutability) in construction, its applicability to the problem of improving informationsharing accuracy for OAMC has received little attention. For researchers, a clear theoretical model is needed to explain how blockchain can improve information sharing, while practitioners desire an operable system.

70

75

80

The aim of this research is twofold: (a) to explore theoretical explanations for how blockchain can improve information-sharing accuracy; and based on that, (b) to provide empirical examples of mobilizing blockchain technology to improve information-sharing accuracy in the context of OAMC. It adopts a design science research (DSR) method involving a literature review, business process analyses (BPA), prototyping, onsite testing, validation, and interviews at construction project sites. The remainder of this paper is organized as follows. Subsequent to this introduction is a literature review of blockchain for assembly services and its applications in information sharing. The following section elaborates on the research methodology. Then the results of BPA are described, providing the basis for developing the theoretical model. After that, the components of this model are elaborated, based on which a prototype system is developed, validated, and reported. Research findings and the strengths and limitations of the study are discussed, and then conclusions are drawn in the last section.

Literature Review

Blockchain technology for assembly services

Blockchain technology has been applied to assembly services in various industries. To ensure a tamper-proof history of product assembly, for example, Mondragon et al. (2018) adopted 85 blockchain to record information related to composite materials. In the automotive industry, Dorri et al. (2017) proposed a blockchain-based architecture to immutably record vehicle assembly information. Similarly, Ravishankar et al. (2020) used blockchain to record information related to clutch lever assembly. Other studies have explored blockchain traceability and transparency in assembly services. For example, Kuhn et al. (2021) designed 90 a blockchain architecture to enhance the traceability of automotive assembly materials. Huang et al. (2020) used blockchain to enhance information-sharing efficiency among participants during turbine assembly. However, little research has attempted to address blockchain potential for information endorsement in assembly services where efficient collaboration requires accurate shared information.

95

In construction, numerous studies have focused on the use of blockchain in supply chain tracking. For example, Sheng et al. (2020) and Zhang et al. (2020) used blockchain to track prefabricated components from production to onsite assembly. Wang et al. (2020) explored blockchain for sharing information on component location for onsite assembly, while Zhong et al. (2020) and Wu et al. (2021) developed blockchain prototype systems to record

prefabricated component quality information. Although blockchain-based solutions have been proposed for data traceability, information sharing, and record immutability in construction, its applicability to improving OAMC information-sharing accuracy has not yet been systematically examined.

105

Blockchain technology for information-sharing endorsement

110

115

120

Blockchain protocol incorporates an endorsement (consensus) mechanism to verify the correctness of block contents (Xue and Lu, 2021). Only when blockchain network participants have verified the transaction information can it be included in the blockchain as a new block. Four common consensus algorithms are: proof of work (PoW), proof of stake (PoS), practical byzantine fault tolerance (PBFT), and crash fault tolerance (CFT) (Lu et al., 2021a). PoW is typical in finance (Chen et al., 2017), philanthropy (Sirisha et al., 2019), and democracy and governance (Diallo et al., 2018) because it is an open consensus algorithm that can ensure the transparency of transactions. However, it needs high computing power (Lu et al., 2021a). A relatively energy-saving mechanism, PoS assumes that participants with a greater stake (e.g., coins) display less opportunistic behavior, so they have more opportunities to endorse blocks. PoS is an open consensus algorithm with relatively low privacy. It has been adopted by Pop et al. (2018), for example, to verify information in the energy industry. PBFT is a permissioned network's consensus protocol, a low-energy mechanism that requires three rounds of voting (Perera et al., 2020). It was selected by Wang et al. (2019), for instance, to verify education certificates. However, it is not a cost-effective choice for relatively small blockchain networks (Hyperledger Fabric, 2020). CFT is another low-energy mechanism. It does not, for example, require cryptocurrency participants to conduct expensive mining to verify transactions (Perera et al. 2020).

130

125

In construction, blockchain conceptual models and proof-of-concept works related to information endorsement have recently been investigated in procurement (Yang et al., 2020), production (Li et al., 2021), quality (Sheng et al., 2020; Zhang et al., 2020; Zhong et al., 2020), and progress (Wang et al., 2020; Tezel et al., 2021). However, the effectiveness and efficiency of the consensus mechanism in ensuring accurate information-sharing remains to be studied. For example, while Pradeep et al. (2021) proposed a blockchain framework to verify design inputs, it was not evaluated in real-life cases. Das et al. (2020), Hamledari and Fischer (2021) and Hasan and Salah (2018) focused on blockchain-based payment verification, but on the security and transparency of payments rather than the effectiveness and efficiency of endorsement mechanisms. Dounas and Lombardi (2018), meanwhile, integrated computer-aided design (CAD) and blockchain to endorse CAD modifications, but their work only allows verifying operation-based transactions from CAD applications. Most frequently, blockchain is used in construction to verify changes in digital models, especially BIM (Hunhevicz and Hall, 2020). Lee et al. (2021a) developed and tested an integrated

140

digital twin and blockchain framework for sharing, verifying, and tracking project data, using a case study to show that the consensus mechanism could prevent hacked information from being shared. Nevertheless, whether such a mechanism could improve information-sharing accuracy in construction was largely unexplored.

145

150

Table 1 summarizes the relevant research on the use of blockchain technology for endorsement in information sharing. The research gaps are summarized by analyzing the target problem and the adopted platform, consensus mechanism, and testing method, revealing lack of a model to guide the establishment of an endorsement mechanism for information sharing in OAMC. In addition, effectiveness of the consensus mechanism in improving accuracy of information sharing in OAMC has not been empirically evaluated.

Table 1. Included studies related to information endorsement using blockchain technology							
ID	Reference	Target problem	Blockchain	Consensus	Testing method		
			platform	mechanism	-		
Non	-construction industry						
1	Chen et al. (2017)	Cryptocurrency	Bitcoin	PoW	Prototype		
		transaction endorsement			development		
2	Diallo et al. (2018)	Bidding information	A custom	PoW	Prototype		
		endorsement	blockchain		development		
3	Dounas and	Design information	Ethereum	PoW or PoS	Prototype		
	Lombardi (2018)	endorsement			development		
4	Pop et al. (2018)	Energy information	Ethereum	PoS	Simulation		
		endorsement					
5	Sirisha et al. (2019)	Donation information	Ethereum	PoW	Prototype		
		endorsement			development		
6	Wang et al. (2019)	Education certificate	Hyperledger	PBFT	Case study		
		endorsement	Fabric				
Con	struction industry						
7	Hasan and Salah	Digital assets	Ethereum	PoS	Prototype		
	(2018)	information endorsement			development and		
	· · ·				security analysis		
8	Das et al. (2020)	Progress payment	Ethereum	PoS	Comparative		
		information endorsement			analysis		
9	Sheng et al. (2020)	Quality information	Hyperledger	Kafka	Prototype		
		endorsement	Fabric	consensus	development and		
					case study		
10	Wang et al. (2020)	Production and	Hyperledger	PBFT	Case study		
		transportation	Fabric				
		information endorsement					
11	Xue and Lu (2020)	BIM modification	A custom	A custom	Simulation		
		endorsement	blockchain	consensus			
12	Yang et al. (2020)	Design and Procurement	Hyperledger	PBFT	Case study		
		information endorsement	Fabric	PoS			
			Ethereum				
13	Zhang et al. (2020)	Quality information	Hyperledger	PBFT	Interview		
		endorsement	Fabric		_		
14	Zhong et al. (2020)	Quality information	Hyperledger	PBFT	Prototype		
		endorsement	Fabric		development		
15	Hamledari and	Progress payment	Ethereum	PoW	Case study		
	Fischer (2021)	information endorsement					

16	Li et al. (2021)	Module production information endorsement	Hyperledger Fabric	PBFT	Prototype development
17	Lu et al. (2021a)	Project application information endorsement	Hyperledger Fabric	CFT	Prototype development
18	Lee et al. (2021a)	Project-related information sharing and endorsement	Ethereum	PoW	Case study
19	Wu et al. (2021)	Quality information endorsement	Hyperledger Fabric	PBFT	Prototype development
20	Pradip et al. (2021)	Design information endorsement	Ethereum	PoW	Prototype development
21	Tezel et al. (2021)	Progress payment information endorsement	Ethereum	PoW	Focus group studies

Research Methodology

This study adopts design science research (DSR) method, an analytical and creative approach that involves creating meaningful artifacts to solve identified problems (Pradeep et al., 2021). The four steps involved are shown in Fig. 1.



Fig. 1. Methodological steps

170

The first step was to understand the issues leading to sharing of inaccurate information. The research team conducted BPA of multiple modular construction projects, onsite assembly processes in particular, to identify problems related to information-sharing endorsement faced by key stakeholders (e.g., owners, transporters, contractors, and inspectors). The research team also introduced basic blockchain knowledge (e.g., encryption algorithm, consensus mechanism, distributed ledger) to project representatives and discussed how it might improve information-sharing endorsement in OAMC. A student residence modular construction project was selected for the study with the scope of the OAMC phases defined as: (1) the owner signs an agreement to confirm the start time of the site survey; (2) prefinished modules and their related detailed information are delivered (i.e., the inputs); (3) external systems are completed, and relevant inspections are passed; (4) structural towers are completed (the output).

180

175

The second step involved developing a blockchain-based model. Four research meetings were carried out in January 2021. At the first meeting, the research team identified the stakeholders involved and confirmed the OAMC information that needed to be endorsed. At the second, team members brainstormed the model structures by analyzing and synthesizing the literature and knowledge obtained in the first step. The advantages and disadvantages of solutions were discussed in the third meeting, based on which the most promising was selected. The process was non-linear because, as some solutions were feasible but not the most promising, several comparison iterations were needed to select a promising solution. Finally, for this solution, the model was proposed and graphed in the fourth meeting.

190

195

185

The third step included the three-phase development and testing of the prototype system. Firstly, blockchain type was determined by considering the strengths and weaknesses of public, private, and consortium blockchain (Perera et al., 2020). As Zhong et al. (2020) pointed out, consortium blockchain can provide complete functions such as authentication, authorization, and audit of participating members. This blockchain type was chosen as different parties may have different requirements for information and privacy control in OAMC. Hyperledger Fabric platform was adopted to develop the consortium blockchain since it provides developers with diverse security-enhanced alternatives, guidelines, resources and tools, and is suitable for complex information proof requirements in construction (Li et al., 2021). Next, a consensus algorithm was selected. Unlike other open consensuses such as PoW and PoS, CFT avoids cryptocurrency, reducing vital risks/attack vectors and requiring lower computational energy consumption from cryptographic mining processes (Perera et al., 2020). CFT is also relatively fast compared with PBFT and, compared with PoW, avoids crashes and network partitions (Hyperledger Fabric, 2020). It should be noted that these

consensus mechanisms are not mutually exclusive, and the proposed model can have pluggable consensuses supporting different applications or application requirements.

205

In the next phase, front- and back-end prototypes were developed. The development environment was Linux version 5.4.0-58-generic-lpae (5.4.0-58.64~18.04.1) (Ubuntu 18.04.1 LTS). The back-end prototype was achieved through SpringBoot (version 2.4) because it is a Java-based back-end framework for the fast and easy development of database management systems (MYSQL) and Web servers. AdminLTE was selected for the fast development of user interfaces as it is a bootstrap-based front-end framework that provides responsive, reusable, and commonly used components. Hyperledger Fabric Cello was used to provide members with access to browse the information on the blockchain. Also, JavaScript as an object-oriented and high-level language was adopted for smart contract writing. In Hyperledger Fabric, smart contracts are packaged as chaincode, which can automate the execution processes. Finally, two training workshops were provided for participants to test the prototype system in the mock-up onsite assembly phase of the surveyed project.

215

220

225

230

In the fourth step, structured interviews were conducted to reveal reactions and opinions of the parties involved in the proposed prototype system test. Universally used in social sciences, the questions and often the answer categories are fully developed and placed in an interview schedule before the interview begins (Lewis-Beck et al., 2004). The four procedures suggested by Lewis-Beck et al. (2004) were implemented in the interviews. Firstly, the questions were asked as they were worded and in the pre-defined order according to the interview schedule. Secondly, if an interviewee failed to answer the question completely, follow-up questions were asked. Thirdly, the answers were recorded without discretion by the interviewer. Fourthly, the interviewer minimized personal judgment and feedback in order to obtain accurate answers. The interviewees met all three selection criteria. First, they participated in the blockchain introduction session at the BPA stage to ensure that they have basic blockchain knowledge. Second, they attended two system training workshops during the development and testing stage. Third, they were involved in the three testing scenarios. As a result, four participants from the owner organization, two from the contractor, one from the transporter, and one from the inspection organization were asked four preworded questions in the same order, as shown in Table 2. The interviewees' answers were

235

	Table 1	2.	Informa	tion o	of interv	iewees	and i	nterview	questions
--	----------------	----	---------	--------	-----------	--------	-------	----------	-----------

recorded and transcribed for further analysis.

Table 2. Information of mer viewees and mer view questions						
ID	Organization	Position	Working Experience			
OW1	Owner	Technical Manager	6			
OW2	Owner	Project Manager	4			
OW3	Owner	Site Engineer	2			
OW4	Owner	Site Engineer	2			
MC1	Main Contractor	Project Controls Manager	4			
MC2	Main Contractor	Site Engineer	3			

TR1	Transporter	Logistics Operator	4				
INS1	Inspector	Inspector Manager	3				
Interview questions							
Question 1: W	Question 1: What are the advantages of the prototype system?						
Question 2: W	Question 2: What are the disadvantages of the prototype system?						
Question 3: Would you use the prototype system? Why/Why not?							
Question 4: Do you have other suggestions to improve the prototype system?							

Data Analyses, Results, and Findings

Business Process Analysis of Onsite Assembly of Modular Construction

The existing OAMC business process can generally be divided into the 10 main stages shown in Fig. 2 (Li et al., 2018a; Li et al., 2019c). Stages 2 and 3 can be carried out concurrently, as can Stages 4 to 5. Onsite assembly is most relevant to Stage 8.



Fig. 2. Onsite assembly processes of modular construction

As shown in Fig. 2, in Stage 1, the site surveyor inspects the area for the proposed construction project and collects information for the follow-up works. In Stage 2, the contractor can establish the site and excavate the land. Procedures for site establishment include protecting existing structures, boundary removal, clean-up of materials, construction of temporary accommodation, and connection of services (Li et al., 2018a). In Stage 3, construction stakeholders can formulate the assembly schedule according to the master plan.

245

Assembly mock-ups can be carried out in Stage 4 while conducting foundation works in Stage 5.

255

260

265

The construction works begin in Stage 6 and include temporary work (e.g., placing safety signs), crane installation (e.g., erecting a tower crane, material and passenger hoists), and core structure construction (e.g., applying the cast-in-situ method) (Zhai et al., 2019). In Stage 7, according to the plan, the logistics company transports the prefabricated modules to the site and, if the site is too congested to accommodate these massive modules, will temporarily store them in intermediate warehouses nearby. Upon arrival at the construction site, the site engineer will confirm the type, arrival time, quantity, and quality of the modules delivered and sign the delivery docket. In Stage 8, modules are assembled onsite after verification of assembly sequence, module type, installation position, and orientation. Module assembly follows Stages 8(a) to (g) (see Fig. 2). In Stage 9, utilities and building services-related facilities are installed and connected, including plumbing, drainage, gas, electricity, lifts, and fire services. In Stage 10, the exterior system is completed, such as the finishing works (e.g., plastering and painting) for flats, common areas, and external walls.

There are several problems in the OAMC business process. Firstly, accuracy of information sharing is not guaranteed due to ambiguity of paper-based documentation. Secondly, a unified OAMC information exchange platform is lacking, resulting in information asymmetry. Thirdly, the current practice lacks an endorsement mechanism to ensure the accuracy of the updated information (e.g., assembly sequence, module type, installation
location, and orientation), leading to module misplacement and additional labor and time costs.

A Blockchain-based Model for Improving Information-sharing Accuracy in Onsite Assembly of Construction Modules

280 <u>The conceptual model</u>

Based on the literature review and BPA, a conceptual model is proposed to explain how blockchain can be used to improve the accuracy of information shared, as shown in Fig. 3. The blockchain system functions by (1) allowing the owner, contractor, transporter, and inspector to endorse OAMC information; and (2) improving information-sharing accuracy by requiring participants to sign the endorsed information digitally.



Fig. 3. Blockchain-based model for improving information-sharing accuracy in the onsite assembly of modular construction. (a) membership registration; (b) information sharing; (c) ordering service; (d) consenus mechanism; and (e) decentralized storage.

The proposed conceptual model consists of five components (Fig. 3(a)–(e)). Specifically, OAMC participants should first register as members of a blockchain-based network (Fig. 3(a)) and share relevant information among participants through the corresponding applications (user interfaces) (Fig. 3(b)). Defined OAMC information includes transportation, onsite construction and assembly, and inspection information. Every time information is shared, the smart contract converts it into a transaction and sends it to the ordering service through which transactions are packed as blocks (Fig. 3(c)). In the real-life onsite assembly, it is difficult to verify OAMC information among all stakeholders and also to verify information changes promptly. To enhance the OAMC information endorsement process, the proposed model uses a consensus algorithm. The model also requires participants to digitally sign each transaction when verifying OAMC information, thereby ensuring the completeness and accuracy of the information (Fig. 3(d)). Each participant configures a copy of the ledger

290

to record endorsed transaction information, and the smart contract can invoke the stored transaction information from the ledgers when the participant requests (Fig. 3(e)).

An operable blockchain-based model

The components of the proposed model, such as membership registration, information sharing-request, ordering service, consensus mechanism, and distributed storage, are described as follows. Before joining the network, participants must verify their identity by 310 sending a membership registration request to the owner. Those qualified are allocated Certificate Authorities (CAs) by the owner. Members can provide membership to submembers through their assigned CAs. The proposed model consists of a network with four registered organizations (members): transporter (T1), contractor (C2), inspector (I3), and project owner (P0), as shown in Fig. 4. All four organizations have a corresponding CA (1-4) authorized by the P0 (the P0 authorises its own CA). The network has a configuration, CC1, which lists the organizations' definitions. The transporter, contractor and inspector can add managers as peers (sub-members), named TP1, CP2, and IP3, respectively, to the channel. Also, peers can add their corresponding operators to share operation information.



Fig. 4. Registered members of the blockchain-based network

315

320

325

Transportation, onsite construction and assembly, and inspection information are shared with the project owner by peers' operators through applications A1 (transportation information sharing user interfaces), A2 (onsite construction and assembly user interfaces), and A3 (inspection information sharing user interfaces), respectively. Transportation information contains data about the module name and ID, process name and ID, delivery date, quantity and quality status of modules (before loading, after loading, and on arrival), vehicle and driver information, location, speed and time records, pick-up time, and signature of the

An information sharing-request mechanism is employed to drive transaction flow.

person in charge. Onsite construction and assembly information includes data about construction and assembly operations, while inspection information includes detailed inspection and quality test results for all control points. For example, before assembling modules onsite, the contractor's operators can share module information (e.g., assembly sequence, module type, installation location, and orientation) with the managers (peers) of the inspector and owner in the network to verify its correctness. In turn, the owner can request the module information before assembly, and the corresponding contractor's operator can then exchange module information with the owner in the blockchain. Adopting the same mechanism, the owner can build information sharing-request interactions with the transporter and inspector.

The model uses an ordering service to build orderly blockchain. In this model, the owner serves as an ordering node that bundles transactions into new blocks. The ordering node cannot commit unverified blocks to the blockchain, and only passes ordered and bundled blocks to peer nodes for endorsement. The peers verify block orders by examining the current and previous blocks' hash values.

Peers (organization managers) in the network can verify the completeness and accuracy of transactions in the blocks they receive through the designed consensus mechanism. If the 350 transactions are valid, managers can digitally sign them. The model adopts a CFT consensus algorithm to help managers crosscheck onsite assembly transactions and reach an agreement. Finally, each manager keeps a copy of the ledger (L1) of the channel where the information (transactions) is stored. In the proposed model, L1 is assigned to the managers of the transporter, inspector and contractor (TP1, CP2, and IP3, respectively), and each ledger 355 comprises two different but related parts: a world state and a blockchain, as shown in Fig. 5. The ledger world state contains two states, namely key and value. The key provides operation information categories such as "Transportation", "Onsite construction", "Onsite assembly", and "Inspection". The value offers the information content, such as module ID. The second part, blockchain, is a historical record of how objects arrived at their current states. In the 360 blockchain, each block has a block header and a set of transactions. The block header consists of an index (the serial number of the block in the chain), a timestamp, a signature validator, and the hash values of the current and the previous blocks. The data frame includes a timestamp, a signature, the hash values of the present and the previous transactions, and a key-value pair for each transaction. Users can always connect with other peers keeping the 365

13

same ledger to restore or update the local ledger copy.

335

345



Fig. 5. Ledger: (a) world state; (b) blockchain (Adapted from Li et al. (2021))

In summary, the proposed model has five main information endorsement processes: membership registration, information sharing-request, ordering service, consensus, and distributed storage. Together, they can ensure the accuracy of OAMC information. By requesting the status of any OAMC process, the project owner can achieve better information endorsement and make more effective decisions.

375

Smart contract configurations

380

385

The business logic that defines how peers interact with the ledgers is contained in smart contracts. In the proposed model, chaincode (S5) is installed on TP1, CP2, and IP3. S5 contains two smart contracts, one used for the information sharing-request mechanism, and the other used for block ordering and endorsement. Table 3(a) shows the smart contract algorithm used for the information sharing-request interaction between the owner and the contractor's operator. The owner can request the module information during the onsite assembly process in the blockchain using a hash value as a start signal. The smart contract will ask the contractor's operator to upload the requested transaction information through user interfaces and exchange transaction information with the owner through the blockchain.

It can also help realize the information sharing-request interactions between the owner and the transporter's and the inspector's operators.

Table 3. Smart contract algorithms: (a) information sharing-request; (b) ordering and endorsement	
(a) Algorithm Information Sharing-Request	
Input: Requested hash value	
Output: Published transactions	
Step A1: Require the operation data of on-site assembly by sending a hash value signal	
Project owner.get (hash)	
Hash \rightarrow Contractor operator	
Step A2: After the 1st operation finished, transfer the operation to data (operation, completion time) Assembly operation $\rightarrow Data$ ()	
Completion time \rightarrow Data ()	
Step A3: Prdocuce a transaction in the blockchain	
$Transaction.hash \leftarrow SHA256$ (Data)	
$Transaction.prehash \leftarrow Hash$	
Transaction.signature $\leftarrow Operator.signature ()$	
Step A4: Publish transaction to the project owner	
$Transaction \rightarrow Project owner$	
End	
(b) Algorithm Block Ordering and Endorsement	
Input: Transactions	
Output: Blockchain	
// Step B1: Owner receives and orders transactions	
Project owner.get (transaction)	
// Step B2: Project owner receives assembly operation data from the contractor operator	
Project owner.get (Data)	
// Step B3: Project owner packs blocks and endorses the data correctness	
Project owner.packblock (header, transaction)	
If SHA 256 (Data) != transaction.hash	
Return False	
// Step B4: Project owner delivers the block to peers	
$Block \rightarrow Transporter\ manager$	
$Block \rightarrow Contractor\ manager$	
$Block \rightarrow Inspector manager$	
// Step B5: Each peer endorsed the block with digital signature	
If Block.transporter manager signature.error() OR Block.contractor manager signature. error()	OR
Block.inspector manager signature.error()	
Return False	
else	
Project owner.signature (Block)	
// Step B6: Project owner updates the endorsed block to the ledger	
$Block \rightarrow Blockchain$	

End

Table 3(b) demonstrates the smart contract algorithm for block ordering and endorsement. This example shows that smart contracts are configured to self-collect transactions published by the contractor's operator and then deliver them to the ordering node (the owner) for bundling into blocks. Next, smart contracts can deliver the blocks to peers for verification. After the blocks are endorsed and signed, smart contracts can commit these blocks to the ledgers.

Development and Testing

Prototype system development

Based on the surveyed modular construction project, a prototype system was developed to implement OAMC information endorsement. In the prototype system, there are four organizations: the owner (acting as the ordering node in the ordering service), the transporter, the contractor, and the inspector. Their configuration information is shown in Fig. 6(a). The cryptogen in Hyperledger Fabric was used to facilitate sub-member registration (e.g., peers and operators) through certificates in order to control access (Fig. 6(b)).

405

400

work Management	Organization List							
r Management				+ Add				
Management	Name	Description	Туре	Domain	Network	Operation		
	owner		orderer	owner.org		Detail Delete		
	transporter		peer	transporter.org		Detail Add peer Dele		
	contractor		peer	contractor.org		Detail Add peer Del		
	inspector		peer	inspector.org		Detail Add peer Del		
			(a)					
admincerts			Nodec	Us: ble: true entOUIdentific ertificate: ca	er: certs/ca.own	er.com-cert.pem		
cacerts			Per	ertificate: ca	acerts/ca.own	er.com-cert.pem		
config.yaml			Adr	AdminouIdentifier: Certificate: cacerts/ca.owner.com-cert.p				
			OrganizationalUnitIdentifier: admin OrdererOUIdentifier: Certificate: cacerts/ca.owner.com-cert.per					

Fig. 6. System configurations: (a) organization registrations; (b) certificates

410

Through the developed applications (user interfaces) of the prototype, participants such as the contractor's operators can request other organizations' managers (peers) to endorse OAMC information. For example, before starting module installation, the operator of the contractor can ask the managers of the owner and inspector to verify the assembly sequence, module type, installation location, and module orientation, as shown in Fig. 7(a). The operators of the transporter and inspector have the same interfaces for submitting information endorsement requests. The endorsement request is converted into a JavaScript Object Notation (JSON) file

using the JSON form plug-in. The file is hashed, and the smart contract sends the file to the ordering service. By setting the owner as an orderer in the network, the ordering service is initialized. Next, the CFT consensus mechanism is implemented based on the etcd library in Hyperledger Fabric. The correctness of the information can be established by reaching a consensus among members, and then the verified file is committed to the managers' ledger copies as the latest blocks. For example, the owner can verify the module information through the manager interface before the installation starts, as shown in Fig. 7(b).

dishan casial MI pakam	Tables - Report Search.	Q English • Pages •					III 🧍	Lee
as Overview us ian tragatee	Module On-site Report ID # 470028 Report Data: 2 April 2 Verification Request S Hash Value: 5712326	Assembly Verifica 021 Start Time: 9:00 AM 2 A 6f1facbb50efdefcc263c	tion (mocl pril 2021 53c7b4219c	(-up) c2a4740ae	354c2dbe8a328	37192		
	Name of Project			Tower no.				
	Stu	dents Residence			[Tower A	
	Name of Owner					Floor no.		
	1	Estate Office			[Floor 1	
	Hash of Operator Signati	ure (transporter):	Hash of Ins	pector Signa	ture (inspector):	Ha	h of Project Manager Signature	owner):
	8e33150b7a2712776d18e 01481124bdcb	35b2tbb002cc7328e34 1dd14085c60	de188e3b1cefc8a70813b78ef4ef13461693a08eb 69b0327fbc897cf8981702f ld12a59e71b14fc0b0c4c15671389db30fa4 e0dd7ed48e1a6df673388					0fa4f2405
	Process Name & ID	Module Name & ID	Assembly Sequence	Module Type	Local	tion	Orientation	Hash
	On-site Assembly_OSA001	On-site AAA 01_Type A_TA- Assembly_OSA001 O1 A Tower A-Floor 1-Position		1-Position 04	Label 1 towards North West Label 2 towards South East	Details		
	On-site Assembly_OSA002	AAA_02_Type B_TA- 1F-05_1NW_2SE	02	В	Tower A-Floor	1-Position 05	Label 1 towards North West Label 2 towards South East	Details
	On-site Assembly_OSA003	AAA_03_Type C_TA- 1F-07_1NE_2SW	03	С	Tower A-Floor	1-Position 07	Label 1 towards North East Label 2 towards South West	Details
	On-site	AAA_04_Type D_TA-	04	D	Tower A-Floor	1-Position 09	Label 1 towards North East	Detail

425

420

adaa waladii a	Pages - Inquire Serve	. Q Ergish	- Pages -			ii 🧍	Mike 📒				
eas Overview		Information Endorsement 👳 Print									
usi rich inçure	Estate Office	Estate Office									
	Transaction ID	Process Name	Requester	Module ID	Request Time	Verification Status	Record Hash				
	MT001	Module Transportation	Transporter 01	AAA_01_Type A_TA-1F-04_1NW_2SE	04/22/2021	Verified	Details				
	MT002	Module Transportation	Transporter 01	AAA_05_Type A_TB-1F-05_1W_2E	04/22/2021	Verified	Details				
	OSA001	On-site Assembly	Contractor 01	AAA_01_Type A_TA-1F-04_1NW_2SE	04/23/2021	Verified	Details				
	OSA002	On-site Assembly	Contractor 01	AAA_02_Type B_TA-1F-05_1NW_2SE	04/23/2021	Verified	Detais				
	OSA003	On-site Assembly	Contractor 01	AAA_03_Type C_TA-1F-07_1NE_2SW	04/23/2021	Verified	Detais				
	INS001	Inspection	Inspector 02	AAA_01_Type A_TA-1F-04_1NE_2SE	04/26/2021	Verified	Details				

Fig. 7. User interfaces: (a) contractor's interface for submitting endorsement request; (b) project owner's

interface for requesting past transactions

430 System testing and evaluating

investigated student residence project.

Testing was undertaken by the owner, the transporter, the contractor, and the inspector to demonstrate that the developed model operates as intended. In the test, eight modules (four different types) were delivered to the site in two batches (see Fig. 8(a)). Then, according to the module ID (see Fig. 8(b)), eight modules were installed in the predetermined locations (see Fig. 8(c)) of the construction site to complete the mock-up assembly task of the

435



Fig. 8. Mock-up onsite assembly of the surveyed project: (a) module type; (b) module ID; (c) mock-up plan

440

Test scenarios

Three test scenarios were used to test the performance of OAMC information endorsement processes, as shown in Fig. 9. In the first scenario, the transporter plans to deliver modules from the factory to the construction site (see Fig. 9(a)). The transporter's operator sends out the request through the user interface to the managers (peers) of contractor, inspector, and owner to verify the quantity, quality, and type of the delivered modules. Each endorsement request is recorded as a new transaction, hashed, and uploaded to the blockchain. Once the contractor's and inspector's managers receive the new transactions, they verify the hash values of the transactions. If their digital signatures match the signature of the hash value, these managers can decrypt the transactions and verify the transaction information according

to the delivered modules. Then, the owner packs the transactions into a new block and adds the block to the blockchain. Each block generation is endorsed through the CFT consensus.



Fig. 9. Test scenarios: (a) module arriving; (b) pre-installation; (c) post-installation

In the second scenario, the operators of the contractor plan to install modules on the

460

455

construction site (see Fig. 9(b)). The operator of the contractor sends out the request through the user interface to the managers of the inspector and the owner to verify the assembly sequence, type, location, and orientation of the modules before assembly starts. The managers of both the owner and the inspector crosscheck the transaction information with the assembly plan and endorse the transactions through digital signatures. After installation, in the third scenario, the inspector's operator inspects installed modules on the construction site (see Fig.

- ⁴⁶⁵ 9(c)). The inspector's operator sends out the request through the user interface to the managers of the contractor and the owner to endorse the information about installed modules such as type, location, and orientation. Similarly, the managers of the contractor and the owner crosscheck the transaction information with their assembly operations records and verify the transactions through digital signatures. In all case scenarios, any shared
- 470
- information in the system was endorsed by the designated managers of the corresponding organizations to ensure its accuracy.

Interview results

475

480

Participants answered four interview questions after using the prototype system in the test. The responses are summarized in Table 4. In response to the first question on the advantages of the prototype system, all eight interviewees mentioned the potential of the prototype system to improve accuracy of information sharing. Three mentioned elimination or reduction of assembly rework issues. One participant from the contractor organization identified reduced labor costs due to reduced likelihood of re-installation. Three interviewees mentioned improved project performance. In addition, enhanced trust relationships among participants and increased motivation were mentioned as advantages of the prototype system by owner organization interviewees.

Interviewee	Response	Category
Question 1:	What are the advantages of the prototype system?	
OW1	Enables a system for accurate and timely information sharing	1
OW2	May minimize inaccurate information sharing, which could decrease the	1, 2
	chance of misplacement of modules	
	The system improves onsite assembly performance in the project.	4
OW3	May minimize asymmetrical information exchange, which could improve the	1, 5
	trust relationships among participants	
OW4	Getting accurate information for the onsite assembly of modules will increase	1,6
	the motivation of the contractor.	
MC1	Accurate information sharing may minimize onsite assembly rework issues,	1, 2, 3
	which could decrease labor costs for the contractor.	
MC2	Would improve information flow and minimize module displacement	1, 2
TR1	Enables accurate information sharing with project participants	1
	Would improve project performance	4
INS1	When assembly information is shared accurately, project performance could	1, 4
	improve substantially.	
Question 2:	What are the disadvantages of the prototype system?	
OW1	The system may incur additional development and maintenance costs for all	7
	parties	
	Without a mature legal infrastructure, I think the system cannot be widely used	8
	in current modular construction projects.	
OW2	If there are loopholes in the smart contract, the security of the blockchain	10
	network cannot be guaranteed.	
OW3	The system will bring additional training costs to all parties.	7
OW4	Compared with the existing process, the system takes extra time for relevant	9
	parties to endorse the information through digital signatures.	-
MC1	If the scale of the project is large, the endorsement process will take too long.	9
MC2	I think we have to bear the cost of the system.	7
TRI	The endorsers have the opportunity to disclose project information (I know this	11
DIGI	is a very low probability event, but the impact is very high).	_
INSI	If the cost is too high, I don't think the participants will accept it.	7
Question 3:	Would you use the prototype system? Why/Why not?	
OW1	I am not sure, maybe after the legal infrastructure for the system is ready.	Conditionally
OW2	Yes, as it could improve the accuracy of information sharing and reduce re-	Yes
	installation issues.	
OW3	Yes, we have inaccurate information sharing all the time. The system would	Yes
	improve the current asymmetrical information-sharing issue.	

Table 4.	Responses	s from	inter	viewees
1	reoponder	, 11 0 111	111001	100000

OW4	Yes, I would. The system could motivate all to achieve accurate information sharing for efficient OAMC	Yes
MC1	No. The information endorsement process is time-consuming and privacy	No
	issues may occur.	
MC2	If the cost is known, I would use the system.	Conditionally
TR1	Definitely, yes.	Yes
INS1	Yes I would, but the cost has to be low.	Conditionally
Question 4:	Do you have other suggestions to improve the prototype system?	
OW1	The system can be linked with BIM to assist the information endorsement.	12
OW2	The system should provide mobile-based applications to make it easier for	13
	participants to use.	
OW3	I recommend testing the system in more projects to ensure its scalability.	14
OW4	The total cost of the system should be determined before its actual	7
	implementation.	
MC1	I suggest sending text messages to participants to remind them to endorse the	15
	information.	
MC2	I suggest a rough cost estimate for the system.	7
TR1	I do not have any suggestions.	-
INS1	The system should be tested in different projects to determine cost.	7

490

Responses to the second question on disadvantages of the prototype system are summarized in Table 4. Four interviewees mentioned additional costs for users such as development, maintenance, and training costs. One interviewee from owner organization mentioned lack of legal infrastructure as a disadvantage. An interviewees from the owner and contractor organizations referred to the relatively long time taken for users to endorse the information. Cybersecurity of blockchain and privacy were highlighted as a disadvantage by one interviewee from the owner organization and one from transporter organization, respectively.

In response to the third question about the users' willingness to use the prototype system, four interviewees said they would use the system without condition. One (from the contractor organization) opposed using the system because it may be time-consuming for large projects and present privacy issues. One interviewee from the contractor and the inspector organization stated that they would only use the system if the cost was low. One interviewee from the owner organization) said he might use it after the required legal infrastructure is ready.

Interviewees made suggestions in response to the fourth question. Three interviewees suggested that the system cost should be determined before implementation. Interviewees from the owner organization suggested connecting the system with BIM to assist in information endorsement and developing mobile-based applications for the convenience of users. An owner organization interviewee also suggested testing the scalability of the system in more projects, while an interviewee from the contractor organization said that the system should be able to send text messages to participants reminding them to endorse information.

510

Discussion and Limitations

The scientific contribution of this study is summarized as follows. First, this research explores how blockchain technology can improve the accuracy of information sharing for OAMC. In a previous study (Lee et al., 2021a), blockchain was used to share and endorse virtual positioning information of prefabricated bricks. However, the potential of the consensus mechanism (CFT) in improving the accuracy of information sharing in OAMC has not been evaluated in an empirical study. Here, a conceptual model is presented for the application of blockchain technology in OAMC information endorsement. In the proposed model, the assembly information of each module is shared in a transparent way and endorsed

- ⁵²⁰ by relevant parties before release, reducing the likelihood of disputes and bringing about a decline in assembly reworks. The Hyperledger Fabric-based prototype system shows the feasibility of the proposed model. Thus, this study may provide construction stakeholders with an innovative tool for information endorsement in OAMC. In addition, it can enhance stakeholders' understanding of the benefits of blockchain, which is an essential factor in the
- ⁵²⁵ adoption of blockchain in actual modular construction projects. For practical implementations, configurable network components of the prototype system should be finetuned in terms of software (e.g., the endorsement policy) and hardware (e.g., CPU speed) aspects.
- Second, the opinions of test participants on the use of the consensus mechanism of blockchain in OAMC for information endorsement are presented in detail, with advantages and disadvantages of the prototype system and user attitudes and suggestions summarized through structured interviews. Such analysis can facilitate understanding of barriers to the adoption of blockchain. Most importantly, since it is not feasible to address all the disadvantages and implement the suggestions simultaneously, understanding the actual user opinions of the prototype system can help to increase research attention and facilitate actual implementation of blockchain. The interview results can be reused to evaluate critical barriers with quantitative analysis methods like the decision-making trial and evaluation laboratory methods.

540

515

Third, the model provides a valuable reference for policy design of blockchain governance in construction, including relevant regulations, laws, policies, and standards. Policymakers can simulate information endorsement scenarios by using or further developing the prototype system. The proposed model is an adaptive structure that can expand in scope to facilitate supply chain management in construction projects and to include other participants, such as governmental supervision units, material suppliers, and manufacturers and subcontractors.

545

Despite these advantages, this study still has limitations. First, the operation transactions recorded onto the blockchain are manually input by humans. Manual operations may limit

information sharing efficiency and introduce opportunistic behaviors (uploading tampered 550 assembly information). Lee et al. (2021a) developed and tested an integrated digital twin and blockchain framework. The digital twin uses IoT sensors to update the BIM in near real-time, while the blockchain authenticates all transactions of the digital twin. Random errors and noise generated from IoT sensors can still result in a single point of failure for IoT networks, reducing data quality for BIM and negatively affecting the trustworthiness of the system. A 555 recent study conducted by Lu et al. (2021b) explored smart construction objects (SCOs) as blockchain oracles to provide a data authenticity mechanism. Thus, future research can integrate the proposed model with BIM and the SCO-enabled blockchain oracles and test it in real-life projects. Second, the configured smart contracts have only been used for information exchange and block ordering services in the prototype system. Hamledari and Fischer (2020) 560 and Das et al. (2020) adopted smart contracts to improve the certainty of construction contract payments. Therefore, future research can explore the combined application of the proposed model and smart contracts. Advanced technologies such as GIS (geographic information system) and 5G can also be integrated with the model to add more intelligence and autonomy to the OAMC management. Third, this study does not run a cost evaluation of 565 running such a system, since the test scenario is limited to the mock-up stage of a modular construction project. Pradeep et al. (2021) suggested that cost and benefit analysis could be the next logical step when more empirical data is available. Fourth, only one pilot case study was carried out. Thus, testing results can only be perceived as a proof of concept of the model, rather than a final version for benchmarking performance or proof of compatibility to 570 other OAMC projects. Future works are recommended to fine-tune the platform and test and evaluate it in other OAMC projects.

Conclusions

Successful delivery of onsite assembly in a modular construction (OAMC) project requires efficient communication and coordination by numerous stakeholders, who interact closely based on an array of information. However, sharing of inaccurate information may occur during OAMC, primarily owing to the widespread adoption of paper or paint labels, fragmented project-based organizations, and lack of information consensus mechanism. This study aimed to explore the use of blockchain technology to improve the situation of inaccurate information sharing in OAMC, starting with a theoretical exploration of how blockchain can truly help.

585

This study developed a blockchain-based model for modular construction to improve the accuracy of information sharing for OAMC. The proposed model was developed using a design science research (DSR) strategy to help project participants to endorse shared OAMC information. The model realizes information sharing endorsement processes via membership registration, information sharing-request, ordering service, consensus mechanism, and

distributed storage. After that, a prototype system was designed to demonstrate the proposed blockchain-based model. The three key OAMC processes of arriving, pre-installation, and post-installation verification, are included to test the prototype system in the mock-up on-site assembly phase of a modular construction project. Finally, structured interviews were conducted with test participants to discover their opinions on the prototype system. The results show that the proposed model can improve the accuracy of information sharing for OAMC by allowing project participants to endorse information about the modules and their operations through the consensus mechanism, thereby reducing the possibility of onsite assembly reworks.

600

595

The limitations of this research provide opportunities for future research. One potential research direction is the blockchain "oracles" that connect the off-chain and on-chain world. For example, researchers can explore the use of decentralized smart construction objects to protect data uploaded to BIM and blockchain. In addition, future research can focus on the scalability evaluation of the proposed prototype system and its integration with smart contract payment, GIS, and 5G technologies. When more empirical data become available, the cost of the proposed system should be investigated in depth. Finally, the proposed model may extend to industries beyond the construction industry.

605

Data Statement

Some or all data, models, or code that support the findings of this study are available from the corresponding author upon reasonable request.

Acknowledgments

This work is funded by the Hong Kong Innovation and Technology Fund (ITF) (Project No.: ITP/029/20LP).

615

620

625

610

References

- Chen, P. W., Jiang, B. S., and Wang, C. H. (2017). "Blockchain-based payment collection supervision system using pervasive Bitcoin digital wallet." 2017 IEEE 13th International Conference on Wireless and Mobile Computing, Networking and Communications (139-146). IEEE. <u>https://doi.org/10.1109/WiMOB.2017.8115844</u>.
- Das, M., Luo, H., and Cheng, J. C. (2020). "Securing interim payments in construction projects through a blockchain-based framework." *Automation in Construction*, 118, 103284. <u>https://doi.org/10.1016/j.autcon.2020.103284</u>.
- Dounas, T., and Lombardi, D. (2018). "A CAD-Blockchain Integration Strategy for Distributed Validated Digital Design", In 36th International Conference on Education and Research in Computer Aided Architectural Design in Europe (Vol. 1, 223-230). eCAADe. <u>http://papers.cumincad.org/data/works/att/ecaade2018_226.pdf</u>.

Diallo, N., Shi, W., Xu, L., Gao, Z., Chen, L., Lu, Y., ... and Turner, G. (2018). "eGov-DAO: A better government using blockchain based decentralized autonomous organization." 2018 International Conference on eDemocracy & eGovernment (166-171). IEEE. https://doi.org/10.1109/ICEDEG.2018.8372356.

630

635

645

650

655

660

665

- Demiralp, G., Guven, G., and Ergen, E. (2012). "Analyzing the benefits of RFID technology for cost sharing in construction supply chains: A case study on prefabricated precast components." *Automation in Construction*, 24, 120-129. https://doi.org/10.1016/j.autcon.2012.02.005.
- Elghaish, F., Hosseini, M. R., Matarneh, S., Talebi, S., Wu, S., Martek, I., ... & Ghodrati, N. (2021). Blockchain and the 'Internet of Things' for the construction industry: research trends and opportunities. *Automation in Construction*, 132, 103942. <u>https://doi.org/10.1016/j.autcon.2021.103942</u>.
- Gong, P., Teng, Y., Li, X., and Luo, L. (2019). "Modeling constraints for the on-site assembly process of prefabrication housing production: a social network analysis." *Sustainability*, 11(5), 1387.
 - Heiskanen, A. (2017). "The technology of trust: How the Internet of Things and blockchain could usher in a new era of construction productivity." *Construction Research and Innovation*, 8(2), 66-70. <u>https://doi.org/10.1080/20450249.2017.1337349</u>.
 - Hasan, H. R., and Salah, K. (2018). "Proof of delivery of digital assets using blockchain and smart contracts." *IEEE Access*, 6, 65439-65448. <u>https://doi.org/10.1109/ACCESS.2018.2876971</u>.
 - Hamledari, H., and Fischer, M. (2021). "The application of blockchain-based crypto assets for integrating the physical and financial supply chains in the construction & engineering industry." *Automation in Construction*, 127, 103711. <u>https://doi.org/10.1016/j.autcon.2021.103711</u>.
 - Hunhevicz, J. J., and Hall, D. M. (2020). "Do you need a blockchain in construction? Use case categories and decision framework for DLT design options." *Advanced Engineering Informatics*, 45, 101094. <u>https://doi.org/10.1016/j.aei.2020.101094</u>.
 - Hyperledger Fabric. (2020). "Glossary." Accessed April 15, 2020. <u>https://hyperledger-fabric.readthedocs.io/en/latest/index.htm</u>.
 - Huang, S., Wang, G., Yan, Y., and Fang, X. (2020). "Blockchain-based data management for digital twin of product." *Journal of Manufacturing Systems*, 54, 361-371. <u>https://doi.org/10.1016/j.jmsy.2020.01.009</u>.
 - Hijazi, A. A., Perera, S., Calheiros, R. N., and Alashwal, A. (2021). "Rationale for the integration of BIM and blockchain for the construction supply chain data delivery: A systematic literature review and validation through focus group." *Journal of Construction Engineering and Management*, 147(10), 03121005. <u>https://doi.org/10.1061/(ASCE)CO.1943-7862.0002142</u>.
 - Kuhn, M., Funk, F., and Franke, J. (2021). "Blockchain architecture for automotive traceability." *Procedia CIRP*, *97*, 390-395. <u>https://doi.org/10.1016/j.procir.2020.05.256</u>.
 - Lee, D., Lee, S. H., Masoud, N., Krishnan, M. S., and Li, V. C. (2021a). "Integrated digital twin and blockchain framework to support accountable information sharing in construction projects." *Automation in Construction*, 127, 103688. <u>https://doi.org/10.1016/j.autcon.2021.103688</u>.

- Lee, D., and Lee, S. (2021b). "Digital Twin for Supply Chain Coordination in Modular Construction." *Applied Sciences*, 11(13), 5909. <u>https://doi.org/10.3390/app11135909</u>.
- Lewis-Beck, M., Bryman, A. E., and Liao, T. F. (2004). *The Sage encyclopedia of social science research methods*. Sage Publications. <u>http://dx.doi.org/10.4135/9781412950589</u>.

680

690

- Li, C. Z., Xue, F., Li, X., Hong, J., and Shen, G. Q. (2018a). "An Internet of Things-enabled BIM platform for on-site assembly services in prefabricated construction." *Automation* in Construction, 89, 146-161. <u>https://doi.org/10.1016/j.autcon.2018.01.001</u>.
- Li, X., Shen, G. Q., Wu, P., Fan, H., Wu, H., and Teng, Y. (2018b). "RBL-PHP: Simulation of lean construction and information technologies for prefabrication housing production." *Journal of Management in Engineering*, *34*(2), 04017053. https://doi.org/10.1061/(ASCE)ME.1943-5479.0000577.
- Li, X., Shen, G. Q., Wu, P., and Yue, T. (2019a). "Integrating building information modeling and prefabrication housing production." *Automation in Construction*, *100*, 46-60.
- Li, J., Greenwood, D., and Kassem, M. (2019b). "Blockchain in the built environment and construction industry: A systematic review, conceptual models and practical use cases." *Automation in Construction*, 102, 288-307. <u>https://doi.org/10.1016/j.autcon.2019.02.005</u>.
 - Li, X., Wu, C., Wu, P., Xiang, L., Shen, G. Q., Vick, S., and Li, C. Z. (2019c). "SWPenabled constraints modeling for on-site assembly process of prefabrication housing production." *Journal of Cleaner Production*, 239, 117991. https://doi.org/10.1016/j.jclepro.2019.117991.
 - Li, X., Wu, L., Zhao, R., Lu, W., and Xue, F. (2021). "Two-layer Adaptive Blockchain-based Supervision model for off-site modular housing production." *Computers in Industry*, *128*, 103437. <u>https://doi.org/10.1016/j.compind.2021.103437</u>.
- Li, J., and Kassem, M. (2021). "Applications of distributed ledger technology (DLT) and Blockchain-enabled smart contracts in construction." *Automation in Construction*, 132, 103955. <u>https://doi.org/10.1016/j.autcon.2021.103955</u>.
 - Lu, W., Wu, L., Zhao, R., Li, X., and Xue, F. (2021a). "Blockchain Technology for Governmental Supervision of Construction Work: Learning from Digital Currency Electronic Payment Systems." *Journal of Construction Engineering and Management*, 147(10), 04021122. <u>https://doi.org/10.1061/(ASCE)CO.1943-7862.0002148</u>.
 - Lu, W., Li, X., Xue, F., Zhao, R., Wu, L., and Yeh, A. G. (2021b). "Exploring smart construction objects as blockchain oracles in construction supply chain management." *Automation in Construction*, 129, 103816. <u>https://doi.org/10.1016/j.autcon.2021.103816</u>.
- ⁷⁰⁵ Luo, L., Jin, X., Shen, G. Q., Wang, Y., Liang, X., Li, X., and Li, C. Z. (2020). "Supply chain management for prefabricated building projects in Hong Kong." *Journal of Management in Engineering*, 36(2), 05020001. <u>https://doi.org/10.1061/(ASCE)ME.1943-5479.0000739</u>.
 - Mondragon, A. E. C., Mondragon, C. E. C., and Coronado, E. S. (2018). "Exploring the applicability of blockchain technology to enhance manufacturing supply chains in the composite materials industry." In 2018 IEEE International conference on applied system invention (ICASI) (1300-1303). IEEE. <u>https://doi.org/10.1109/ICASI.2018.8394531</u>.
 - Perera, S., Nanayakkara, S., Rodrigo, M. N. N., Senaratne, S., and Weinand, R. (2020). "Blockchain technology: Is it hype or real in the construction industry?." *Journal of*

⁷¹⁵ *Industrial Information Integration*, *17*, 100125. <u>https://doi.org/10.1016/j.jii.2020.100125</u>.

725

735

740

745

- Pradeep, A. S. E., Yiu, T. W., Zou, Y., and Amor, R. (2021). "Blockchain-aided information exchange records for design liability control and improved security." *Automation in Construction*, 126, 103667. <u>https://doi.org/10.1016/j.autcon.2021.103667</u>.
- Pop, C., Cioara, T., Antal, M., Anghel, I., Salomie, I., and Bertoncini, M. (2018).
 "Blockchain based decentralized management of demand response programs in smart energy grids." *Sensors*, 18(1), 162. <u>https://doi.org/10.3390/s18010162</u>.
 - Ravishankr, B., Shailaja, V. N., and Appaiah, M. (2020). "The Study of Blockchain Technology in Engineering Development: The Case of the Clutch Lever Assembly." In 2020 International Conference on Mainstreaming Block Chain Implementation (ICOMBI) (pp. 1-4). IEEE. <u>https://doi.org/10.23919/ICOMBI48604.2020.9203079</u>.
 - Sheng, D., Ding, L., Zhong, B., Love, P. E., Luo, H., and Chen, J. (2020). "Construction quality information management with blockchain." *Automation in Construction*, 120, 103373. <u>https://doi.org/10.1016/j.autcon.2020.103373</u>.
- ⁷³⁰ Sirisha, N. S., Agarwal, T., Monde, R., Yadav, R., and Hande, R. (2019). "Proposed solution for trackable donations using blockchain." In 2019 International Conference on Nascent Technologies in Engineering (ICNTE) (1-5). IEEE. <u>https://doi.org/10.1109/ICNTE44896.2019.8946019</u>.
 - Tezel, A., Febrero, P., Papadonikolaki, E., and Yitmen, I. (2021). "Insights into Blockchain Implementation in Construction: Models for Supply Chain Management." *Journal of Management in Engineering*, 37(4), 04021038. <u>https://doi.org/10.1061/(ASCE)ME.1943-5479.0000939</u>.
 - Tao, X., Das, M., Liu, Y., and Cheng, J. C. (2021). "Distributed common data environment using blockchain and Interplanetary File System for secure BIM-based collaborative design." *Automation in Construction*, 130, 103851. https://doi.org/10.1016/j.autcon.2021.103851.
 - Wang, Z., Wang, T., Hu, H., Gong, J., Ren, X., and Xiao, Q. (2020). "Blockchain-based framework for improving supply chain traceability and information sharing in precast construction." *Automation in Construction*, 111, 103063. <u>https://doi.org/10.1016/j.autcon.2019.103063</u>.
 - Wang, G., Zhang, H., Xiao, B., Chung, Y. C., and Cai, W. (2019). "EduBloud: A blockchainbased education cloud." 2019 Computing, Communications and IoT Applications (352-357). IEEE. <u>https://doi.org/10.1109/ComComAp46287.2019.9018818</u>.
 - Wu, H., Zhong, B., Li, H., Guo, J., and Wang, Y. (2021). "On-Site Construction Quality Inspection Using Blockchain and Smart Contracts." *Journal of Management in Engineering*, 37(6), 04021065. <u>https://doi.org/10.1061/(ASCE)ME.1943-5479.0000967</u>.
 - Xue, F. and Lu, W. (2020). "A semantic differential transaction approach to minimizing information redundancy for BIM and blockchain integration." *Automation in Construction*, *118*, 103270. <u>https://doi.org/10.1016/j.autcon.2020.103270</u>.
- ⁷⁵⁵ Xue, F., Wu, L., and Lu, W. (2021). "Semantic enrichment of building and city information models: A ten-year review." *Advanced Engineering Informatics*, 47, 101245. <u>https://doi.org/10.1016/j.aei.2020.101245</u>.

Yang, R., Wakefield, R., Lyu, S., Jayasuriya, S., Han, F., Yi, X., ... and Chen, S. (2020). "Public and private blockchain in construction business process and information integration." *Automation in Construction*, 118, 103276. <u>https://doi.org/10.1016/j.autcon.2020.103276</u>.

760

770

- Zhang, Z., Yuan, Z., Ni, G., Lin, H., and Lu, Y. (2020). "The quality traceability system for prefabricated buildings using blockchain: An integrated framework." *Frontiers of Engineering Management*, 1-19. <u>https://doi.org/10.1007/s42524-020-0127-z</u>.
- Zhong, B., Wu, H., Ding, L., Luo, H., Luo, Y., and Pan, X. (2020). "Hyperledger fabricbased consortium blockchain for construction quality information management." *Frontiers of Engineering Management*, 1-16. <u>https://doi.org/10.1007/s42524-020-0128-y</u>.
 - Zhou, J. X., Shen, G. Q., Yoon, S. H., and Jin, X. (2021). "Customization of on-site assembly services by integrating the internet of things and BIM technologies in modular integrated construction." *Automation in Construction*, 126, 103663. <u>https://doi.org/10.1016/j.autcon.2021.103663</u>.
 - Zhai, Y., Chen, K., Zhou, J. X., Cao, J., Lyu, Z., Jin, X., ... and Huang, G. Q. (2019). "An Internet of Things-enabled BIM platform for modular integrated construction: A case study in Hong Kong." *Advanced Engineering Informatics*, 42, 100997. <u>https://doi.org/10.1016/j.aei.2019.100997</u>.